	Type	Hits	Search Text	DBs
1	BRS	5500	database near2 object$	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	269	(database near2 object$) and (data near2 dictionary)	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	27	"L3" and (retrieve$ near2 object$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3	("L3" and (retrieve$ near2 object$)) and recursive$	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	("L3" and (retrieve$ near2 object$)) and recursive$ and view	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	17	"L3" and (retrieve$ near2 object$) and view	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	3	("L3" and (retrieve$ near2 object$) and view) and (object near2 definitions)	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	797	object near2 definitions	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	101	(object near2 definitions) and ((retriev$ or search$) near2 definition$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	2	((object near2 definitions) and ((retriev$ or search$) near2 definition$)) and (retriev$ near2 recursive$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	26	((object near2 definitions) and ((retriev$ or search$) near2 definition$)) and ((build$ or create$) near2 definitions)	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	28	(retriev$ with (object$ near definitions))	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	21	((retriev$ with (object$ near definitions))) and query	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	78	(object$ near definitions).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	22	((object$ near definitions).ab.) and retriev$	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	3	(((object$ near definitions).ab.) and retriev$) and dictionary	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	1	(((object$ near definitions).ab.) and retriev$) and dictionary and loop$	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	1	((((object$ near definitions).ab.) and retriev$) and dictionary and loop$) and query	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	60	(object$ near definitions).clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	4	((object$ near definitions).clm.) and dictionary	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	((object$ near definitions).clm.) and dictionary and cop$	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	35	(object$ near definitions) and RDBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	4	((object$ near definitions) and RDBMS) and dictionary	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	1	((object$ near definitions) and RDBMS) and dictionary and copy	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	233	(object$ near definitions) and query	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	19	(object$ near definitions) and query and (catego$ near2 object$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	433	send$ near2 resume$	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	0	(send$ near2 resume$) and (resume near2 template$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	18	(send$ near2 resume$) and template$	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
58	BRS	102	(retriev$ near2 resume$) and memory	USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	10	((retriev$ near2 resume$) and memory) and template$	USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	0	(stor$ near2 resumes) and (resume$ near2 database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	36	stor$ near2 resumes	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	58	resume near2 database$	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	41	(resume near2 database$) and (template$ or form$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	3035	(format$ near2 (documents or files))	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	1363	((format$ near2 (documents or files))) and database$	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	229	(((format$ near2 (documents or files))) and database$) and templates	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	40	((((format$ near2 (documents or files))) and database$) and templates) and (template$ near2 field$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	7	(((((format$ near2 (documents or files))) and database$) and templates) and (template$ near2 field$)) and 707/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	0	(template$ near2 (unique near2 keywords))	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	188	resume near2 form$	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	19	(resume near2 form$) and unique	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
30	BRS	11	((send$ near2 resume$) and template$) and database	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	129	707/3 and resumes	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	91	(707/3 and resumes) and (format$ or template$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	74	(707/3 and resumes) and (format$ or template$) and database	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	4	(summary near2 database) and (template near2 database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	3	(resumes near2 database) and (template near2 database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	228	template near2 ID$	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	22	(template near2 ID$) and resumes	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	0	(resume$ near2 application$) and (template near2 database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	606	resume$ near2 application$	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	4	resume near2 heading	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	756	keyword$ near2 match$	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	0	(keyword$ near2 match$) and (format$ near2 resume$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	178	format$ near2 resume$	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	25691	(format$ near2 (document$ or report$ or record$))	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	57	((format$ near2 (document$ or report$ or record$))) and (template$ near2 (ID$ or identifier$))	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	53	(((format$ near2 (document$ or report$ or record$))) and (template$ near2 (ID$ or identifier$))) and database	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	50	((((format$ near2 (document$ or report$ or record$))) and (template$ near2 (ID$ or identifier$))) and database) and (map$ or match$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	2	(((((format$ near2 (document$ or report$ or record$))) and (template$ near2 (ID$ or identifier$))) and database) and (map$ or match$)) and resume	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	0	(((((format$ near2 (document$ or report$ or record$))) and (template$ near2 (ID$ or identifier$))) and database) and (map$ or match$)) and resumes	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	160	search$ near2 resumes	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	1	(search$ near2 resumes) and (format$ near2 resume$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	126	(search$ near2 resumes) and (template$ or form$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	29	((search$ near2 resumes) and (template$ or form$)) and database	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	25	(((search$ near2 resumes) and (template$ or form$)) and database) and (match$ or map$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	140	resumes near2 memory	USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	0	(resumes near2 memory) and (retriev$ near2 resume$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	141	retriev$ near2 resume$	USPAT; EPO; JPO; DERWENT; IBM_TDB